

ANRACE



WHEELCHAIRS | POWER WHEELCHAIRS | COMMODES | WALKING
AIDS & WALKERS | BED SUPPORTS & RECLINERS | CUSHIONS

ABOUT US

Anrace Healthcare LLP is a DPIIT & GoI-recognized manufacturing startup creating high-quality Assisted Mobility, Rehabilitation and Wellness products. Driven by the goal of making world-class solutions accessible and affordable, ANRACE brings together global medical-device expertise with innovation and precision engineering to meet the needs of users across India and beyond.

Our advanced facility in Rohtak, Haryana ensures every product meets strict international standards, with components crafted in-house or responsibly sourced from trusted partners.

Our portfolio includes Wheelchairs, Power Wheelchairs, Commodes, Walking Aids, Walkers, Bed Back Supports & Recliners, Cushions, and a wide range of mobility solutions for home and institutional use.

OUR VISION

To become India's most trusted Assisted Mobility & Home Healthcare brand by delivering exceptional value, dependable quality, and innovative solutions that enhance everyday living.

CONTENTS

1. Manual Wheelchair	05
2. Power Wheelchair	20
3. Bed Side Commode	43
4. Walking Aids	49
5. Reclining Back Supports	59
6. Cushions and Ortho Supports	62
7. Rollaway Bed & New Products	66
8. Customisations	69

OUR VALUES

ETHICS

We build relationships grounded in integrity and trust, the foundation that drives every decision we make.

EXPERTISE

Our strength lies in our specialists. Their deep knowledge and craftsmanship ensure innovative, reliable, and truly customer-focused products.

EXCELLENCE

We pursue excellence in everything we create, delivering superior quality without compromise — because our customers deserve nothing less.



MANUAL WHEELCHAIRS



AN809M - Folding Wheelchair (MAG Wheels)

6

ANRACE




Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 98 | W - 27 | H - 88

Open : L - 98 | W - 66 | H - 88



Seat Dimensions (CM)

Width: 50 | Depth: 40

Back Height: 40



Rear - MAG Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 100 KG

Wheelchair Weight :-

Net: - 14.5 Kg | Gross: - 17 Kg



- Comfortable fixed PU foam armrests.
- Height-adjustable plastic footrests.
- Rust-proof front wheel fork for extra strength.
- Heavy-duty polymer rear wheels with smooth bearings.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.
- Premium nylon upholstery for added comfort.

AN809 Folding Wheelchair - Variants

7

ANRACE



**AN809CR - Chrome Finish
Premium Finish**



**AN809S - Spoke Wheels
Durable Spoke Wheels**



**AN809MC - Cushioned Seat 2"
Comfortable Cushioned Seat**



**AN809MF - Folding Footrests | Compact
Design | Easy to Carry**



**AN809SW12BRK - Transit Wheelchair | 12" Rear
Wheels | Attendant Breaks**



**AN809SW8 - Transit Wheelchair | 8" Rear
Wheels | Narrow Open Width 24"**




- **Cushioned Mesh Seat** for Extra Comfort.
- **Attendant Breaks** for easy control.
- **Utility Pouch** and **Water Bottle Holder**.
- Heavy Duty **Metal fork** & polymer front wheel for extra strength.
- Heavy-duty **Spoke rear wheels** with smooth bearings.
- Comfortable fixed PU foam armrests.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.



Dimensions (CM)

Folded : L - 98 | W - 28 | H - 88

Open : L - 98 | W - 66 | H - 88



Seat Dimensions (CM)

Width: 50 | Depth: 40

Back Height: 40



Rear - Spoke Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 100 KG

Wheelchair Weight :-

Net:- 16.5 Kg | Gross:- 19 Kg



Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 98 | W - 28 | H - 88

Open : L - 98 | W - 66 | H - 88



Seat Dimensions (CM)

Width: 44 | Depth: 44

Back Height: 40



Rear - MAG Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 120 KG

Wheelchair Weight :-

Net:- 17.5 Kg | Gross:- 20 Kg



- Designed with **Flip-Up Armrests** to make patient transfers easier.
- Height-adjustable **Aluminum Footrests**.
- Heavy Duty **Metal Fork** & polymer front wheel for extra strength.
- High Density Foam **2" Cushioned Seat** for Extra Comfort.
- Heavy-duty Mag rear wheels with smooth bearings.
- Comfortable **PU Armrests**.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.
- Premium nylon upholstery for added comfort.



- **Paediatric Wheelchair** for Specially abled Children.
- Comfortable fixed PU foam armrests.
- Height-adjustable Plastic footrests.
- Heavy Duty front fork & polymer wheel for extra strength.
- Heavy-duty MAG rear wheels with smooth bearings.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.
- Premium nylon upholstery for added comfort.


Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 98 | W - 28 | H - 86

Open : L - 98 | W - 56 | H - 86



Seat Dimensions (CM)

Width: 40 | Depth: 40

Back Height: 40



Rear - MAG Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 100 KG

Wheelchair Weight :-

Net: 14.5 Kg | Gross: 17 Kg



Also Available in
Top Seat Cushioned
Commode Wheelchair (AN608)




Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 98 | W - 27 | H - 88

Open : L - 98 | W - 66 | H - 88



Seat Dimensions (CM)
Width: 44 | Depth: 40
Back Height: 40



Rear - MAG Wheel 22 Inch
Front - Polymer 8 Inch



Weight Bearing Capacity - 100 KG
Wheelchair Weight:-
Net:- 17.5 Kg | Gross:- 20 Kg

- User-friendly **U-Cut Cushion Seat** for enhanced comfort.
- Comfortable fixed PU foam armrests.
- Height-adjustable Plastic footrests.
- Heavy Duty front fork & polymer wheel for extra strength.
- Heavy-duty MAG rear wheels with smooth bearings.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.
- Premium nylon upholstery for added comfort.



Also Available in
Top Seat Cushioned
Commode Wheelchair (AN628)




Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 98 | W - 27 | H - 88

Open : L - 98 | W - 66 | H - 88



Seat Dimensions (CM)

Width: 44 | Depth: 40

Back Height: 40



Rear - MAG Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 120 KG

Wheelchair Weight:-

Net:- 17.5 Kg | Gross:- 20 Kg




Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

L - 100 | W - 68 | H - 88



Seat Dimensions (CM)

Width: 44 | Depth: 44

Back Height: 44



Rear - MAG Wheel 22 Inch

Front - Polymer 8 Inch



Weight Bearing Capacity - 120 KG

Wheelchair Weight:-

Net - 16.5 Kg



- 2" Cushioned Seat and Back for comfort.
- Comfortable fixed PU foam armrests.
- Height-adjustable Aluminium footrests.
- Rust-proof front wheel fork for extra strength.
- Heavy-duty polymer rear wheels with smooth bearings.
- Long-lasting treaded rubber tires for better grip.
- Adjustable seat belt and calf support.
- Premium nylon upholstery for added comfort.

AN951B - Folding Bariatric Wheelchair (150 Kg)

14

ANRACE




- Seat Width **52 CMs.**
- Weight Capacity **150 KG.**
- Adjustable Seat Belt & Calf Support.
- Heavy Duty **Thick PU** Front Wheels with **Metal Fork**.
- High Quality **Treaded Rubber Tyre** for Long Life and Grip.
- High Density **Foam Cushioned** Seat Covers for Extra Comfort.
- Designed with **Flip-Up Armrests** to make patient transfers easier.
- **Detachable** and Height Adjustable Footrests made of Durable Plastic.
- **Anti-Tipper Wheels** for safety and to prevent from tipping backward.



Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)
Folded : L - **82** | W - **30** | H - **90**
Open : L - **105** | W - **70/74** | H - **90**



Seat Dimensions (CM)
Width: **52** | Depth **45**
Back Height: **40**



Rear - **MAG Wheel 24 Inch**
Front - **Heavy Duty PU 8 Inch**



Weight Bearing Capacity - 150 KG
Wheelchair Weight - 18.5 KG



Also Available in
Top Seat Cushioned
Commode Wheelchair (AN608GC)




Strong Sturdy Carbon Steel Frame
Premium Chrome Finish



Dimensions (CM)

Folded : L - 85 | W - 31 | H - 95

Open : L - 113 | W - 64 | H - 126



Seat Dimensions (CM)

Width: 46 | Depth 46

Back Height: 42



Rear - MAG Wheel 24 Inch

Front - PU 8 Inch



Wheelchair Weight - 26.5 KG

Weight Bearing Capacity - 100 KG

- Premium Chrome Plated Finish.
- Attendant Breaks for easy control.
- Heavy Duty Spoke Rear Wheels with Bearings.
- AN608GC - User friendly **Cushion Top Seat** for enhanced comfort.
- AN609GC - User friendly **Cushion U-Cut Seat** for enhanced comfort.
- Fully **Reclining Backrest** paired with an **Elevating Footrest** and soft cushioned **Calf Support** to deliver superior comfort and relaxation.
- Designed with **Removable Armrests** to make patient transfers easier.
- Anti-Tipper Wheels for safety and to prevent from tipping backward.



AN872 - 20"



AN872 - 16"


- Cushioned **Mesh Seat** for Extra Comfort.
- **Folding Footrests** made of Durable Plastic.
- Durable Anodized **Aluminum Alloy Frame**.
- High Quality Treaded Rubber Tyre For Long Life And Grip.
- Designed with **Flip-Up Armrests** to make patient transfers easier.
- High-strength **Aluminum Alloy Fork** in the front wheel for superior stability and performance.
- **Flip-up Footrests** paired with a **Foldable Back** ensure a compact, travel-friendly design that fits easily in most car boots.



Durable & Anodized
Strong **Aluminum Alloy Frame**



Dimensions (CM)
Folded : L - 74 | W - 28 | H - 66
Open : L - 96 | W - 60 | H - 90



Seat Dimensions (CM)
Width: 46 | Depth 39
Back Height: 44



Rear - Spoke 20 Inch / Mag 16 Inch
Front - PU 6 Inch



Wheelchair Weight - 11 KG / 10 Kg
Weight Bearing Capacity - 100 KG



AN803L - Aluminum



AN803 - Mild Steel




Epoxy Powder Coated
Aluminum / MS Frame



Dimensions (CM)

Folded : L - 26 | W - 50 | H - 78

Open : L - 84 | W - 50 | H - 92



Seat Dimensions (CM)

Width: 40 | Depth 40

Back Height: 40



Rear - PU 8 Inch

Front - PU 6 Inch



Wheelchair Weight - 6.5 KG / 9.5 Kg

Weight Bearing Capacity - 100 KG

- Easy **Folding Footrests**.
- Rust-Proof Front Fork wheel for extra strength.
- Epoxy Powder Coated **Aluminum Alloy / MS Frame**.
- Designed with **Flip-Up Armrests** to make patient transfers easier.
- Convenient **One-Click Fold** mechanism for fast, hassle-free operation.
- Integrated **Combi-Brakes** ensure smooth, convenient, and secure braking.
- **Ultra-light** and **Compact** transit wheelchair for easy handling, storage, and travel.




Durable & Anodized
Strong **Aluminum Alloy Frame**



Dimensions (CM)

Folded : L - 82 | W - 28 | H - 80
Open : L - 82 | W - 53 | H - 80



Seat Dimensions (CM)
Width: 36/38/40 | Depth 38
Back Height: 36



Rear - MAG Wheel 24 Inch
Front - PU 4 Inch



Wheelchair Weight - 12.5 KG
Weight Bearing Capacity - 100 KG




Strong Sturdy Carbon Steel Frame
Durable Epoxy Powder Coated



Dimensions (CM)

Folded : L - 78 | W - 34 | H - 92
Open : L - 120 | W - 62 | H - 92



Seat Dimensions (CM)

Width: 46 | Depth: 40
Back Height: 46



Rear - MAG Wheel 15 Inch

Front - PU 6 Inch



Wheelchair Weight - 20.6 KG

Weight Bearing Capacity - 100 KG

- Head Rest Height 100 - 115.
- Tilt-in-Space function for better posture alignment.
- Aluminium Fork with solid PU wheels for long-lasting durability.
- Strong and reliable 16-Inch Mag Wheels for smooth performance.
- Engineered specifically for CP Patients, offering enhanced comfort, posture support, and safety.
- PU-Cushioned Armrests with height adjustability and quick-removal design for smooth and safe patient transfers.
- Multi-level Reclining Backrest and Elevating Footrest with Soft PU Calf Support offer customized comfort and a temporary bed-like position.
- Chest Strap aids seating balance, Knee Separator improves circulation and reduces joint strain, and Safety Cushions help maintain an upright position.

POWER WHEELCHAIRS

ANRACE



ANEW022 - UltraLite Carbon Fiber Power Wheelchair



ANRACE



CARBON FIBER
Frame

Easy to Fold without
Removing Battery



Motors & Joystick: 1 Yr
Battery: 1 Yr



Ultra Light - Ultra Strong
Carbon Fibre Frame



Battery - 24V 7.8Ah
Range - 10 KM 12Km



Heavy Duty



Brush Less Motor - 2 x 200 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 8 Inch
Front - Alu. Alloy 7 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 19 | W - 24 | H - 29
Open : L - 37 | W - 24 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 17 | H: 20
Back Height: 20



Minimum Width - 24 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 15.5 KG
Weight Bearing Capacity - 150 KG



Power Stand UP | Manual Drive



Motors & Remote: 1 Yr
Battery: 1 Yr




Dimensions (Inches)
Folded : L - 43 | W - 27 | H - 30
Open : L - 43 | W - 27 | H - 65



Lithium Ion

Battery - 24V 2Ah



Seat Dimensions (Inches)
W: 17 | D: 17 | H: 20
Back Height: 20



Actuator For Automated Standing



Rear - Alu. Alloy 24 Inch
Front - Alu. Alloy 8 Inch



Minimum Width - 28 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 35 KG
Weight Bearing Capacity - 100 KG



Incline Climbing Capacity
 ≤ 12 Degrees



Motors & Joystick: 1 Yr
Battery: 1 Yr



Minimum Width - 25 Inches
Compact Design | Easy to Carry



Lithium Ion

Battery - 24V 40Ah



Dimensions (Inches)
Folded : L - 39 | W - 25 | H - 41
Open : L - 39 | W - 25 | H - 65



Worn Motor - 2 x 200 W
Max Speed \approx 6 Km/h



Seat Dimensions (Inches)
W: 17 | D: 17 | H: 23
Back Height: 19



Rear - Alu. Alloy 13 Inch
Front - Alu. Alloy 8 Inch



Electromagnetic
Braking System



Wheelchair Weight - 85 KG
Weight Bearing Capacity - 120 KG

Power Stand UP | Power Drive

ANEW014L - Power Wheelchair AluMax Reclining (Silver)

24

ANRACE



Easy to Fold without
Removing Battery



Motors & Joystick: 1 Yr
Battery: 1 Yr



Aluminum Alloy Frame



Battery - 24V 10.4Ah
Range - 12 KM 15Km



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 13 Inch
Front - Alu. Alloy 8 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 19 | W - 25 | H - 30
Open : L - 38 | W - 25 | H - 42



Seat Dimensions (Inches)
W: 19 | D: 18 | H: 20
Back Height: 21



Minimum Width - 25 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 30 KG
Weight Bearing Capacity - 150 KG

ANEW013L - Power Wheelchair AluMax (Black)

25

ANRACE



Optional
Wireless Remote



Easy to Fold without
Removing Battery



Motors & Joystick: 1 Yr
Battery: 1 Yr



Lightweight
Aluminum Alloy Frame



Battery - 24V 10.4Ah
Range - 12 KM 15Km



Heavy Duty



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 13 Inch
Front - Alu. Alloy 8 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 19 | W - 25 | H - 30
Open : L - 38 | W - 25 | H - 38



Seat Dimensions (Inches)
W: 19 | D: 18 | H: 20
Back Height: 21



Minimum Width - 25 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 30 KG
Weight Bearing Capacity - 150 KG

ANEW004L - Power Wheelchair AluPro (Silver)

26

ANRACE



Easy to Fold without
Removing Battery



Motors & Joystick: 1 Yr
Battery: 1 Yr



Lightweight
Aluminum Alloy Frame



Battery - 24V 10.4Ah
Range - 12 KM 15Km



Motor - 2 x 200 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 11 Inch
Front - Alu. Alloy 7 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 19 | W - 25 | H - 30
Open : L - 38 | W - 25 | H - 37



Seat Dimensions (Inches)
W: 16.5 | D: 15.5 | H: 20
Back Height: 15



Minimum Width - 25 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 23 KG
Weight Bearing Capacity - 130 KG



Adjustable Armrests



WARRANTY

Motors & Joystick: 1 Yr
Battery: 1 Yr



Lithium Ion
Battery - 24V 10.4Ah
Range - 12 KM 15Km



Brush Less Motor - 2 x 200 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 12 Inch
Front - Alu. Alloy 7 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 21 | W - 12.5 | H - 27
Open : L - 40 | W - 21 | H - 40



Seat Dimensions (Inches)
W: 15.3 | D: 15.3 | H: 18
Back Height: 16



Minimum Width - 21 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 22 KG
Weight Bearing Capacity - 120 KG



*Also Available in
Orange Colour*



Motors & Joystick: 1 Yr
Battery: 6 Months



Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 16 Inch
Front - Alu. Alloy 10 Inch



Electronic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 43 KG
Weight Bearing Capacity - 130 KG



Reclining Backrest
Elevating Footrest



Motors & Joystick: 1 Yr
Battery: 6 Months



Lead Acid
Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 16 Inch
Front - Alu. Alloy 10 Inch



Electromagnetic
Braking System




Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 50



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 50 KG
Weight Bearing Capacity - 130 KG



Reclining Backrest
Elevating Footrest



Motors & Joystick: 1 Yr
Battery: 6 Months



Lead Acid
Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 350 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 16 Inch
Front - Alu. Alloy 10 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 31 | H - 50



Seat Dimensions (Inches)
W: 22 | D: 16 | H: 20
Back Height: 16



Minimum Width - 31 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 53 KG
Weight Bearing Capacity - 130 KG

ANEW011 - Power Wheelchair Automatic Reclining (46)

31

ANRACE



Automatic Reclining Backrest
& Elevating Footrest



Motors & Joystick: 1 Yr
Battery: 6 Months



Lead Acid
Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 16 Inch
Front - Alu. Alloy 10 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 50



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 52 KG
Weight Bearing Capacity - 130 KG



Motors & Joystick: 1 Yr
Battery: 1 Yr



Lithium Ion
Battery - 24V 12Ah
Range - 18 KM 20Km



Motor - 2 x 300 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 24 Inch
Front - Alu. Alloy 8 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 35 | W - 22 | H - 29
Open : L - 47 | W - 28 | H - 38



Seat Dimensions (Inches)
W: 18 | D: 18 | H: 20
Back Height: 18



Minimum Width - 28 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 40 KG
Weight Bearing Capacity - 150 KG

ANEW012 - Power Wheelchair Roadster (22 Inch)

33

ANRACE



Motors & Joystick: 1 Yr
Battery: 6 Months



Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Spoke 22 Inch
Front - Alu. Alloy 10 Inch



Electronic
Braking System




Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 17 | H - 30
Open : L - 44 | W - 27 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 27 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 52 KG
Weight Bearing Capacity - 130 KG



Motors & Joystick: 1 Yr
Battery: 1 Yr



Battery - 24V 20Ah
Range - 18 KM 20Km



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 12 Inch
Front - Alu. Alloy 8 Inch



Electromagnetic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 37 KG
Weight Bearing Capacity - 130 KG

ANEW003BK - Power Wheelchair SteePro (Black)

35

ANRACE



Easy to Fold without
Removing Battery



WARRANTY
Motors & Joystick: 1 Yr
Battery: 6 Months



Lead Acid
Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 16 Inch
Front - Alu. Alloy 10 Inch



Electronic
Braking System



Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 43 KG
Weight Bearing Capacity - 130 KG



Motors & Joystick: 1 Yr
Battery: 6 Months



Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery



Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 12 Inch
Front - Alu. Alloy 8 Inch



Electronic
Braking System




Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 28 | W - 16 | H - 28
Open : L - 36 | W - 24 | H - 36



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 24 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 32 KG
Weight Bearing Capacity - 120 KG

ANEW001 - Power Wheelchair Steelite (Black)

37

ANRACE



Motors & Joystick: 1 Yr
Battery: 6 Months



Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-ion Battery*



Motor - 2 x 250 W
Max Speed ≈ 6 Km/h



Rear - MAG Wheel 15 Inch
Front - PU 6 Inch



**Electronic
Braking System**



**Incline Climbing Capacity
≤ 13 Degrees**



Dimensions (Inches)
Folded : L - 28 | W - 16 | H - 28
Open : L - 36 | W - 24 | H - 36



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 24 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 30 KG
Weight Bearing Capacity - 100 KG



Motors & Joystick: 1 Yr
Battery: 6 Months



Battery - 24V 12Ah
Range - 10 KM 12Km
Optional Li-Ion Battery*



Max Speed ≈ 6 Km/h



Rear - Alu. Alloy 10 Inch
Front - Alu. Alloy 16 Inch



Electronic Braking System




Incline Climbing Capacity
≤ 13 Degrees



Dimensions (Inches)
Folded : L - 32 | W - 16 | H - 30
Open : L - 44 | W - 26 | H - 37



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 16



Minimum Width - 26 Inches
Compact Design | Easy to Carry



Wheelchair Weight - 43 KG
Weight Bearing Capacity - 130 KG



Aluminum Alloy Frame



WARRANTY
Motors & Joystick: 1 Yr
Battery: 1 Yr



Easy to Fold without
Removing Battery



Lithium Ion
Battery - 24V 10.4Ah
Working Time ≈ 1.5 Hr



Motors
2 x 250 W & 1 x 200 W



Rear - Polymer 12.5 Inch
Front - Polymer 8 Inch



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 15



Wheelchair Weight - 45 KG
Weight Bearing Capacity - 130 KG





Lithium Ion
Battery - 24V 10.4Ah
Working Time ≈ 1.5 Hr



Motors
2 x 250 W & 1 x 200 W




Easy to Fold without Removing Battery



Rear - Polymer 12.5 Inch
Front - Polymer 8 Inch



Aluminum Alloy Frame



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 15



Wheelchair Weight - 45 KG
Weight Bearing Capacity - 130 KG

ANEW005ST - Stair Climbing Wheelchair (5 Inch)

41

ANRACE



Motors & Joystick: 1 Yr
Battery: 1 Yr



Battery - 24V 10.4Ah
Working Time ≈ 1.5 Hr



Easy to Fold without
Removing Battery



Motor - 1 x 130 W



Aluminum Alloy Frame



Rear - Polymer 6 Inch
Front - Polymer 4 Inch



Seat Dimensions (Inches)
W: 17 | D: 16 | H: 20
Back Height: 15



Wheelchair Weight - 33 KG
Weight Bearing Capacity - 130 KG



**Wireless Remote for Controlling
Electric Wheelchair**

Compatible with all Electric
Wheelchairs



Bottle Holder



LED Light & Charger



Mobile Holder



Air Pump



Under Seat Bag



Umbrella Holder

BEDSIDE
COMMODES



AN688 - Easy Transfer Commode Wheelchair



44

ANRACE

- Weight Bearing Capacity **120 KGs**
- Easy **Hydraulic** Height Adjustment.
- Comes with soft **EVA Cushioned Seat**.
- **5" Inch** Durable Front Castors for Easy Maneuverability.
- **Minimum Ground Clearance** to transfer patient from bed.
- Easy to use in Room as **Bedside Commode** with the provided Bucket with Cover.
- Innovative design makes **Transferring Patients** from their beds to the bathroom / chair a breeze.

- Weight Bearing Capacity **100 KGs**.
- Available in both **U-Cut and Top Cushioned Seat**.
- Epoxy Powder Coated Sturdy Carbon Steel Frame.
- **Height Adjustable**, Foldable, Lightweight & Easy To Carry.
- Easy Access into **Narrow Doors** with Overall Width of **22 Inches**.
- **Flip-Up** Foam Cushioned Armrests for easy access from both sides.
- Easy to use in Room as **Bedside Commode** with the provided Bucket with Cover.
- **18" Clear Height Under** the seat for easy use over Western as well as Indian Commode.



AN689 (Top seat/ U Cut)
Easy Transfer Commode Wheelchair



AN894 - Commode Without Wheels

- High Quality & **Easy to clean** Seat.
- Available **With & Without Wheels 3"**.
- Foldable, Lightweight & Easy To Carry.
- **Height Adjustable** Clear height Under the seat **17" - 21"**.
- Available in **Chrome** or Various **Epoxy Powder Coated Colors**.
- Easy Access into **Narrow Doors** with Overall Width of **20 Inches**.
- Easy to use in Room as **Bedside Commode** with the provided Bucket with Cover.



AN696 - Commode With Wheels

AN629L - Height Adjustable
Commode Aluminium



46

ANRACE

- Anodized **Aluminum Frame**.
- With both side **PP Armrest**.
- High Quality & **Easy to clean** Seat.
- Foldable, **Lightweight** & Easy To Carry.
- Available With & Without **3" Castor Wheels**.
- **Height Adjustable** Clear height Under the seat **17" - 21"**.
- Easy Access into **Narrow Doors** with Overall Width of **20 Inches**.
- Easy to use in Room as **Bedside Commode** with the provided Bucket with Cover.

- Anodized **Aluminum Frame**.
- Feather **Light-Weight**.
- Removable Armrests.
- Anti-Skid **Rubber Feet**.
- Easy to use in **Bath Room**.
- Quick **Tool-Free Assemble**.
- **Height Adjustable** Seat **14" - 20"**.
- With both side **Cushioned Armrest**.
- High Quality Soft **Eva Cushioned Seat** & Easy to clean.



ANS C001 - Shower Chair



- Lightweight.
- Foldable & **Easy To Carry**.
- With both side **PP Armrest**.
- **High Quality** Seat & Easy to clean.
- **Reusable** & Easy to Remove Bucket.
- Easy to use in Room with provided Bucket and Cover.



Durable Epoxy Powder Coated
Strong Sturdy **Carbon Steel** Frame



Commode Chair Weight - **3.5 KG**
Weight Bearing Capacity - **100 KG**

- Lightweight.
- Foldable & **Easy To Carry**.
- Comfortable **Low Back** Support.
- **High Quality** Seat & Easy to clean.
- **Reusable** & Easy to Remove Bucket.
- Easy to use in Room with provided Bucket and Cover.



Durable Epoxy Powder Coated
Strong Sturdy **Carbon Steel** Frame



Commode Chair Weight - **2.5 KG**
Weight Bearing Capacity - **100 KG**





- Lightweight.
- Small form factor.
- Easy to use in Room.
- Foldable & **Easy To Carry**.
- **High Quality** Seat & Easy to clean.



Durable Epoxy Powder Coated
Strong Sturdy Carbon Steel Frame



Commode Stool Weight - 2 KG
Weight Bearing Capacity - 100 KG

- Lightweight.
- Foldable & **Easy To Carry**.
- **High Quality** Seat & Easy to clean.
- **Reusable** & Easy to Remove Bucket.
- Easy to use in Room with provided Bucket and Cover.



Durable Epoxy Powder Coated
Strong Sturdy Carbon Steel Frame



Commode Stool Weight - 2.3 KG
Weight Bearing Capacity - 100 KG



WALKING AIDS



Stemax Double H



50

ANRACE

- **Ergonomic Design.**
- **High Quality Soft Foam Grips.**
- **Available in Different Colours.**
- **Easy to Fold** with Single Push Button.
- **Easy To Carry & Lightweight.**
- **Height Adjustable** with Push Button Mechanism.



- **Ergonomic Design.**
- **High Quality Soft Foam Grips .**
- **Easy To Carry & Lightweight.**
- **Easy to Fold** with single Push Button.
- **Height Adjustable** with Push Button Mechanism.
- **Reciprocating Design** that allows each side of the walker to Advance Alternately, making **Walking Easier** and Reducing Effort.



Durable Epoxy Powder Coated
Strong Sturdy **Carbon Steel** Frame



Walker Weight :- **3 KG**
Weight Bearing Capacity :- **100 KG**



Overall Height
31 Inch - 35 Inch



ANFWMS02 - Folding Walker
ReciPro Double H

ANFWMS03-3 - Folding Walker
SteRoll Double H (3" Wheels)



51

ANRACE

- Ergonomic Design.
- High Quality Soft Foam Grips.
- Available in Different Colours.
- Easy to Fold with Single Push Button.
- Easy To Carry & Lightweight.
- Height Adjustable with Push Button Mechanism.
- Features 3" Front Wheels for Easy Maneuvering.



Durable Epoxy Powder Coated
Strong Sturdy Carbon Steel Frame



Walker Weight :- 3.3 KG
Weight Bearing Capacity :- 100 KG



Overall Height
31 Inch - 35 Inch

- Ergonomic Design.
- High Quality Soft Foam Grips.
- Available in Different Colours.
- Easy to Fold with Single Push Button.
- Easy To Carry & Lightweight.
- Height Adjustable with Push Button Mechanism.
- Features 5" Front Wheels for Easy Maneuvering.



Durable Epoxy Powder Coated
Strong Sturdy Carbon Steel Frame



Walker Weight :- 3.5 KG
Weight Bearing Capacity :- 100 KG



Overall Height
31 Inch - 35 Inch



ANFWMS03-5 - Folding Walker
SteRoll Double H (5" Wheels)

ANFWAL01 - Folding Walker

Alulite



52

ANRACE

- **Ergonomic Design.**
- **High Quality Soft Foam Grips.**
- **Easy To Carry & Lightweight.**
- **Anodized Aluminum Alloy Frame.**
- **Easy to Fold** with Single Push Button.
- **Height Adjustable** with Push Button Mechanism.



Durable & Anodized
Strong **Aluminum Alloy** Frame



Walker Weight :- 2.3 KG
Weight Bearing Capacity :- 100 KG




Overall Height
31 Inch - 35 Inch

- **Ergonomic Design.**
- **High Quality Soft Foam Grips.**
- **Easy to Fold** with Single Push Button.
- **Foldable, Lightweight & Easy To Carry.**
- **Height Adjustable** with Push Button Mechanism.
- **Features 3" Front Wheels** for Easy Maneuvering.



Durable & Anodized
Strong **Aluminum Alloy** Frame



Walker Weight :- 2.3 KG
Weight Bearing Capacity :- 100 KG



Overall Height
31 Inch - 35 Inch



AluRoll (3" Wheels)

ANFWAL01R - Folding Walker

ANFWAL03 - Folding Walker
AluMax 2in1- Reciprocal



53

ANRACE

- Heavy Duty Walker with 1.2 MM Tube Thickness.
- High Quality Soft Foam Grips.
- Easy To Carry & Lightweight.
- Anodized Aluminum Alloy Frame.
- Easy to Fold with Single Push Button.
- Height Adjustable with Push Button Mechanism.
- Dual function with Fixed and Reciprocating Movement.



Durable & Anodized
Strong Aluminum Alloy Frame



Walker Weight :- 2.1 KG
Weight Bearing Capacity :- 100 KG



Overall Height
30 Inch - 37 Inch

- Heavy Duty Walker with 1.2 MM Tube Thickness.
- High Quality Soft Foam Grips.
- Easy to Fold with Single Push Button.
- Foldable, Lightweight & Easy To Carry.
- Height Adjustable with Push Button Mechanism.
- Features 5" Front Wheels for Easy Maneuvering.
- Dual function with Fixed as well as Reciprocating Movement.



Durable & Anodized
Strong Aluminum Alloy Frame



Walker Weight :- 2.3 KG
Weight Bearing Capacity :- 100 KG



Overall Height
30 Inch - 37 Inch



ANFWAL02R - Folding Walker
AluMax- Reciprocal (5" Wheels)



Walker Weight :- 2.3 KG

Weight Bearing Capacity :- 100 KG



Durable & Anodized
Strong & Sturdy **Aluminum** Frame



Overall Height
30 Inch - 37 Inch



- Heavy Duty Walker with 1.2 MM Tube Thickness.
- High Quality Soft Foam Grips.
- Easy To Carry & Lightweight.
- Anodized **Aluminum Alloy** Frame.
- Easy to Fold with Single Push Button.
- Height Adjustable with Push Button Mechanism.
- Dual function with Fixed as well as **Reciprocating** Movement.
- Aids in maintaining **Correct Posture** and provides assisted support for easier **Sit-to-Stand Transitions**.
- Optional Plastic Bench converts it into a **Bedside Commode** and **Shower Chair**.*



Durable & Anodized
Strong & Sturdy **Aluminum** Frame



Dimensions (Inch)
D - 34 | W - 24 | H - 35
Handle Height : Min. 30 | Max. 35



Walker Weight - 8 KG
Weight Bearing Capacity - 120 KG

- **Folding Footrest** for easy self-use or assisted mobility.
- Easy-to-use **Hand Brakes** with quick lock/unlock function.
- Easily usable as a **Wheelchair** with **Comfortable Seat** & Footrests
- Lightweight **Aluminum Frame** with premium padded seat and **Backrest**.
- Compact, easily **Foldable Design** with a removable **Storage Bag**.
- **Height-Adjustable Handles** ensure a comfortable fit for all users.
- Durable **8" All-Terrain Wheels** for smooth indoor and outdoor use.



- Adjustable **Adult Gaiter** walker designed for enhanced stability and mobility.
- Built-in **Elbow Supports** offer added comfort during walking.
- **Height Adjustable** between 3.5 to 5 feet for a perfect personalized fit.
- Sturdy construction ensures reliable longterm use.
- Versatile design boosts confidence with every step.
- Offers superior comfort and stability for reliable adult mobility support.



Quadripod



Stick With Seat



Double Bend Quadripod

Aluminium Sticks

57

ANRACE



MonoPod



Quadripod



Quadripod MS Base



MonoPod



Tripod



Quadripod

MS sticks



- **Height-Adjustable** shaft allows a customized fit for different users.
- **Non-Slip Rubber Tip** enhances ground grip for safer, confident walking.
- Sturdy mild-steel construction provides **Strong and Reliable** weight support. (Also Available in Aluminium)
- **Ergonomically Designed** elbow cuff ensures stable and comfortable forearm placement.



Durable Epoxy Powder Coated
Strong Sturdy **Carbon Steel** Frame



Walker Weight - **0.55 KG**
Weight Bearing Capacity - **100 KG**



Height (Inch)
Max. : **28** | Min. : **36**

- **Slip-Resistant Rubber Tips** provide enhanced stability and secure traction.
- **Height-Adjustable** design ensures a perfect fit for users of different heights.
- Durable axillary support with **Cushioned Underarm Pad** for added comfort.
- Made from strong yet lightweight **1.2 mm Aluminium** tubing for easy handling.



Durable & Anodized
Strong & Sturdy **Aluminum** Frame



Walker Weight - **0.65-0.75 KG**
Weight Bearing Capacity - **100 KG**



Height (Inch)
Max. : S - **45** | M - **53** | L - **61**
Min. : S - **37** | M - **45** | L - **53**



Small | Medium | Large

RECLINER
BACK SUPPORTS





- Ready-to-Use plug-and-play design for instant comfort.
- Removable Side Grills on both sides to prevent accidental falls.
- High-Density PU Foam provides long-lasting durability and support.
- Washable, Waterproof Rexine Cover available in multiple color options.
- Adjustable to any comfortable Sitting Angle as per the user's preference.
- Quick setup on any existing single or double bed - **No Installation Required.**
- Optional 1-Inch Memory Foam Topper for enhanced softness.*



Remote controlled
Recline Adjustable



Incline Capacity
0 Degree to 85 Degree



Push Force : 6000 N



Triple Fold Matters



Durable Epoxy Powder Coated
Strong Sturdy **Carbon Steel** Frame



Dimensions (Inch)
L - 72 | W - 32 | H - 6



Frame Weight - 13.5 KG
Weight Bearing Capacity - 150 KG



ANBB001 - Regular



ANBB002 - Regular With Armrests



ANBB003 - Padded Backrest



ANBB004 - Premium Mesh Cushioned

CUSHIONS
ORTHO SUPPORTS



Back Support & Car Neck Pillow

63

ANRACE



ANOA_BS001
Executive Backrest



ANOA_BS002
Memory Foam Backrest



ANOA_BS001
Executive Backrest



ANOA_BS002
Memory Foam Backrest


Cervical Pillow & Coccyx Cushion

64

ANRACE



ANOA_CC001
Ortho Coccyx Cushion



ANOA_CC002
Memory Foam Coccyx Cushion



ANOA_CC003
Memory Foam Donut Cushion



ANOA_CP001
Ortho Cervical Pillow

Wedge Pillow & Knee Support Pillow

65

ANRACE



ANPL_WP001
Memory Foam Wedge Pillow



ANPL_WP002
Adjustable Wedge Pillow



ANPL_KP001
Memory Foam Knee Support
Pillow

ROLLAWAY BED & NEW PRODUCTS





- Portable, foldable, and quick to assemble, Space-saving **Rollaway Bed**. Perfect as an extra bed for guests, hotels, or hostels.
- Premium **6-Inch Mattress** with Quilted, soft-touch cover provides contouring comfort and balanced firmness.
- **Heavy Duty Mild Steel frame** with Rust-resistant epoxy coating protects even in humid conditions.
- Supports body weight up to **150 kg** with reliable strength.
- **360° castor** wheels allow smooth movement and easy repositioning.
- **Lockable wheels** keep the bed steady and secure when stationary.






**ANFT001 - Food Table for
Wheelchair**



**ANFT002 - Overbed
Multipurpose Table**



ANFS001 - Folding Patient Stretcher with Bag



- Utility Pouch
- Bottle Holder
- Attendant Brakes
- Mobile Holder
- Food Table
- Wheelchair Cushion
- Mesh Cushion
- Walking Stich Holder

Customisations

- **Frame:** Any Color
- **Seat & Back:** Any Color
- **Mesh Cushions:** Any Color
- **Footrests:** Plastic or Aluminium
- **Arm Rest:** Foam or PU
- **Front Wheel Fork:** Plastic or MS
- **Rear Wheel:** 8" or 12" or 22"
- **Tyre:** Rubber or EVA

Notes

***“Move Freely
Live Fully
Stay Happy”***



ANRACE



ANRACE HEALTHCARE LLP

Plot No. 11, Sector 31-B, HSIIDC IMT, Rohtak 124001, Haryana, India
Anrace.healthcare@gmail.com | www.anrace.com
+91 94 68 185 180 | +91 74 043 14 763 | +91 85 700 200 95